


COMPARACIÓN DE LAS NEOPLASIAS MÁS FRECUENTES EN LA PIEL



Quimara-1
Imiquimod

Quimara[®]-1

Imiquimod

El tratamiento cutáneo específico para la queratosis actínica y el carcinoma basocelular


Activa al sistema inmune ◆
resultando en la desaparición
histológica del tumor^{1,2}

Tratamiento efectivo y bien ◆
tolerado para QA⁴

◆ Resultados superiores vs. al
tratamiento con fototerapia¹

◆ Desaparición completa de las
lesiones en 8 semanas
de QA y CB*^{3,4}

◆ Evita métodos invasivos²



*Postratamiento
QA: Queratosis actínica
CBC: Carcinoma basocelular



Devuelve la confianza a su paciente

Referencias: 1. Aris, A. H., Mosterd, K., Essers, B. A., et al. (2013). Photodynamic therapy versus topical imiquimod versus topical fluorouracil for treatment of superficial basal-cell carcinoma: a single blind, non-inferiority, randomised controlled trial. *The Lancet Oncology*, 14(7), 647-654. 2. Geisse, J., Caro, I., Lindholm, J., et al. (2004). Imiquimod 5% cream for the treatment of superficial basal cell carcinoma: results from two phase III, randomized, vehicle-controlled studies. *Journal of the American Academy of Dermatology*, 50(5), 722-733. 3. De Argila, Rodríguez-Navarro I, Chavez A. (2003). Carcinoma basocelular: respuesta al tratamiento con imiquimod al 5% en crema. *Actas Dermosifiliología*, 94(3), 155-160. 4. Lebwohl, M., Dinehart, S., Whiting, D., et al. (2004). Imiquimod 5% cream for the treatment of actinic keratosis: results from two phase III, randomized, double-blind, parallel group, vehicle-controlled trials. *Journal of the American Academy of Dermatology*, 50(5), 714-721. 5. Consulta de Registros Sanitarios. Disponible en: tramiteselectronicos02.cofepri.gob.mx/BuscadorPublicoRegistrosSanitarios/BusquedaRegistroSanitario.aspx